

FORM PTO/SB/08A/B (10-01) Substitute for PTO-1449A/B	Attorney Docket Number	51667/RDS/C543
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)	Application Number	To be assigned
	Filing Date	Filed concurrently herewith
	Applicant(s)	Choong Paul Kim, et al.
	Group Art Unit	To be assigned 1742.
	Examiner Name	To be assigned Wyszomierski

U.S. PATENT DOCUMENTS				
EXAMINER INITIALS	Cite No. ¹	DOCUMENT NUMBER Number - Kind Code ² (If Known)	Publication Date MM-DD-YYYY	Name of Patentee
Gu		5,288,344	02-22-1994	Peker et al.
		5,368,659	11-29-1994	Peker et al.
		5,567,251	10-22-1996	Peker et al.
		5,589,012	12-31-1996	Hobby et al.
		5,735,975	04-07-1998	Lin et al.
Gu		5,866,254	02-02-1999	Peker et al.

FOREIGN PATENT DOCUMENTS					
EXAMINER INITIALS	Cite No. ¹	FOREIGN PATENT DOCUMENT Country Code ³ - Number ⁴ - Kind Code ⁵ (If Known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	T* (✓)
Gu		WO 00/68469	11-16-2000	California Institute of Technology	

OTHER DOCUMENTS		
EXAMINER INITIALS	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article, title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
Gu		AGGARWALA, B.D. et al.; <i>Tempering Stresses in an Infinite Glass Plate</i> ; Physics and Chemistry of Glasses; Vol. 2, No. 5; October 1961; pp. 137-140
		AYDINER, C.C., et al.; <i>Thermal Tempering Analysis of Bulk Metallic Glass Plates Using an Instant Freezing Model</i> ; pp 1-21
		BAKKE, E. et al.; <i>The viscosity of the Zr_{46.75}Ti_{8.25}Cu_{7.5}Ni₁₀Be_{27.5} bulk metallic glass forming alloy in the supercooled liquid</i> ; Appl. Phys. Lett; Vol. 67, No. 22; November 27, 1995; pp. 3260-3262
		BARTENEV, D.M.; <i>The Phenomenon of the Quenching of Glass</i> ; (Translation) Vol. 18, 1948; pp. 1-9
		BARTENEV, D.M.; <i>The Theory of the Mechanical Strengthening of Glass by Quenching</i> ; (Translation) Vol. 60, No. 2, 1948; pp. 257-260
Gu		BARTHOLOMEW, Roger F. et al.; <i>Chemical Strengthening of Glass</i> ; Chapter 6; 1980; Academic Press, Inc.; pp. 217-270

EXAMINER SIGNATURE	<i>Gu Wyszomierski</i>	DATE CONSIDERED	9/2/05
--------------------	------------------------	-----------------	--------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.pto.gov or MPEP 901.4. ³Enter Office that issued the document, by the two-letter code (WIPO standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English Language Translation is attached.

FORM PTO/SB/08A/B (10-01) Substitute for PTO-1449A/B	Attorney Docket Number	51667/RDS/C543
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)	Application Number	To be assigned
	Filing Date	Filed concurrently herewith
	Applicant(s)	Choong Paul Kim, et al.
	Group Art Unit	To be assigned
	Examiner Name	To be assigned

OTHER DOCUMENTS		
EXAMINER INITIALS	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article, title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
<i>Or</i>		BROWN, James Ward et al.; <i>Fourier Series and Boundary Value Problems</i> ; Fifth Edition; McGraw-Hill, Inc: New York; pp. 193-197
		BRUCK, H.A. et al.; <i>Quasi-Static Constitutive Behavior of $Zr_{41.25}Ti_{13.75}Ni_{10}Cu_{12.5}Be_{22.5}$ Bulk Amorphous Alloys</i> ; Scripta Metallurgica et Materialia; Vol. 30; 1994; pp. 429-434
		CARRE, H et al.; <i>Numerical Simulation of Soda-Lime Silicate Glass Tempering</i> ; Journal De Physique IV; Vol. 6; January 1996; pp. 175-185
		CHOI-YIM, H. et al.; <i>Synthesis and Characterization of Particulate Reinforced $Zr_{57}Nb_5Al_{10}Cu_{15.4}Ni_{12.6}$ Bulk Metallic Glass Composites</i> ; Acta mater; Vol. 47, No. 8; 1999; pp. 2455-2462
		CONNER, R.D. et al.; <i>Dynamic deformation behavior of tungsten-fiber/metallic-glass matrix composites</i> ; International Journal of Impact Engineering; Vol. 24; 2000; pp. 435-444
		CONNER, R.D. et al.; <i>Mechanical Properties of Tungsten and Steel Fiber Reinforced $Zr_{41.25}Ti_{13.75}Cu_{12.5}Ni_{10}Be_{22.5}$ Metallic Glass Matrix Composites</i> ; Acta Mater; Vol. 46, No. 17; 1998; pp. 6089-6102
		CONNER, R.D. et al.; <i>Mechanical Properties of $Zr_{57}Nb_5Al_{10}Cu_{15.4}Ni_{12.6}$ metallic glass matrix particulate composites</i> ; J. Mater. Res.; Vol. 14, No. 8; August 1999; Materials Research Society; pp. 3292-3297
		DANDLIKER, R.D. et al.; <i>Melt infiltration casting of bulk metallic-glass matrix composites</i> ; J. Mater. Res.; Vol. 13, No. 10; October 1998; Materials Research Society; pp. 2896-2901
		DE JONG, M. et al.; <i>The relaxation of internal stresses during annealing of amorphous $Fe_{40}Ni_{40}B_{20}$</i> ; Materials Science and Engineering; A179/A180; 1994; p. 341-345
		GARDON, Robert; <i>Thermal Tempering of Glass, What is Tempered Glass</i> , pp. 146-216
		GILBERT, C.J. et al.; <i>Fracture toughness and fatigue-crack propagation in a Zr-Ti-Ni-Cu-Be bulk metallic glass</i> ; Appl. Phys. Lett; Vol. 71, No. 4; July 28, 1997; pp. 476-478
		HAYS, C.C. et al.; <i>Enhanced Plasticity of Bulk Metallic Glasses Containing Ductile Phase Dendrite Dispersions</i> ; Materials Science Forum; Vols. 343-346; 2000; pp. 191-196
<i>Or</i>		HAYS, C.C. et al.; <i>Microstructure Controlled Shear Band Pattern Formation and Enhanced Plasticity of Bulk Metallic Glasses Containing in situ Formed Ductile Phase Dendrite Dispersions</i> ; The American Physical Society; Vol. 84, No. 13; March 27, 2000; pp. 2901-2904

EXAMINER SIGNATURE	<i>Or</i> <i>Allyne</i>	DATE CONSIDERED	9/2/05
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.pto.gov or MPEP 901.4. ³ Enter Office that issued the document, by the two-letter code (WIPO standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English Language Translation is attached.			

FORM PTO/SB/08A/B (10-01) Substitute for PTO-1449A/B	Attorney Docket Number	51667/RDS/C543
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)	Application Number	To be assigned
	Filing Date	Filed concurrently herewith
	Applicant(s)	Choong Paul Kim, et al.
	Group Art Unit	To be assigned
	Examiner Name	To be assigned

OTHER DOCUMENTS		
EXAMINER INITIALS	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article, title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
Cu		HOLMAN, J.P.; <i>Heat Transfer</i> , Sixth Edition; 1-3 Convection Heat Transfer; McGraw-Hill Book Company: New York; pp. 10-14
		INDENBOM, V.L.; <i>On the Theory of the Quenching of Glass</i> (translation); Vol. 24; 1954; 4 pp.
		INDENBOM, V.L. et al.; <i>Thermoplastic and Structural Stresses in Solids</i> ; Soviet Physics - Solid State; Vol. 6, No. 4; 1964; pp. 767-772
		KITAIGORODSKI, F.I. et al.; <i>Strengthening of Glass by Quenching</i> ; Vol. 108; 1956; pp. 843-845
		LEE, E.H. et al.; <i>Residual Stresses in a Glass Plate Cooled Symmetrically from Both Surfaces</i> ; Journal of the American Ceramic Society; Vol. 48, No. 9; pp. 480-487
		LENG, Y. et al.; <i>Multiple shear band formation in metallic glasses in composites</i> ; Journal of Materials Science; Vol. 26; 1991; pp. 588-592
		LIU, Wenshan et al.; <i>Precipitation of bcc nanocrystals in bulk Mg-Cu-Y amorphous alloys</i> ; J. Mater. Res.; Vol. 11, No.; September 1996; pp. 2388-2392
		LIU, W. et al.; <i>Small-angle x-ray-scattering study of phase separation and crystallization in the bulk amorphous Mg₆₂Cu₂₅Y₁₀Li₃ alloy</i> ; The American Physical Society; Vol. 59, No. 18; May 1, 1999; pp. 755-759
		NARAYANASWAMY, O.S.; <i>A Model of Structural Relaxation in Glass</i> ; Journal of the American Ceramic Society; Vol. 54, No. 10; pp. 491-498
		NARAYANASWAMY, O.S. et al.; <i>Calculation of Residual Stresses in Glass</i> ; Journal of the American Ceramic Society; Vol. 52, No. 10; pp. 554-558
		OHSAKA, K. et al.; <i>Specific volumes of the Zr_{41.2}Ti_{13.8}Cu_{12.5}Ni_{10.0}Be_{22.5} alloy in the liquid glass, and crystalline states</i> ; Appl. Phys. Lett.; Vol. 70, No. 6; February 10, 1997; pp. 726-728
		PEKER, A. et al.; <i>A highly processable metallic glass: Zr_{41.2}Ti_{13.8}Cu_{12.5}Ni_{10.0}Be_{22.5}</i> ; Appl. Phys. Lett.; Vol. 63, No. 17; October 25, 1993; pp. 2342-2344
		SEIFERT, Wolfgang et al.; <i>Glass transition and instant freezing theories - A Comparison of frozen-in temper stresses</i> ; Glastechn. Ber. Glass Sci. Technol.; Vol. 71, No. 12; 1998; pp. 341-351
		TEJEDOR, M. et al.; <i>Mechanical determination of internal stresses in as-quenched magnetic amorphous metallic ribbons</i> ; Journal of Materials Science; Vol. 32; 1997; pp. 2337-2340
Cu		YANNIOTIS, S. et al; <i>Boiling on the Surface of a Rotating Disc</i> ; Journal of Food Engineering; Vol. 30; 1996; pp. 313-325

EXAMINER SIGNATURE	<i>Gy Clement</i>	DATE CONSIDERED	9/2/05
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.pto.gov or MPEP 901.4. ³ Enter Office that issued the document, by the two-letter code (WIPO standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English Language Translation is attached.			